

[Web](#) [Images](#) [Maps](#) [News](#) [Video](#) [Gmail](#) [more](#) ▼



m.ryan.vaughan@gmail.com | [My Account](#) | [Sign out](#)

hash program instructions during compiling

Search

[Advanced Search](#)
[Preferences](#)

Results 1 - 10 of about 63,600 for hash program instructions during compiling. (0.26 seconds)

1. [backend installing configuring running - hash-programming ...](#)

Jan 17, 2009 ... **Instructions** on how to install, configure and run the Back-End ...
Back-End) and to distribute jobs to the workers (**compile** and run units). ...
[code.google.com/p/hash-programming-environment/wiki/backend_installing](#)
[_configuring_running](#) - 18k - [Cached](#) - [Similar pages](#) -

2. [Oblivious Hashing: A Stealthy Software Integrity Verification ...](#)

make it difficult to obfuscate the identity of **hashing instructions**. For example, due
to words, initialized to a random pattern **during compile** time. reach some part
of a **program during hash** computation, that part is not hashed ...
[www.springerlink.com/index/932T2EJ8RGPH9AYN.pdf](#) - [Similar pages](#) -
by Y Chen¹ - [Related articles](#) - [All 7 versions](#)

3. [\[PDF\] Oblivious Hashing: A Stealthy Software Integrity Verification ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **hashing instructions**, colored black in the figure, take the results of previous
words, initialized to a random pattern **during compile** time. part of a **program**
during hash computation, that part is not hashed and thus ...
[www.cs.uiuc.edu/homes/sinhas/work/papers/oh.pdf](#) - [Similar pages](#) -
by Y Chen¹ - [Related articles](#)

4. [1.71 binaries and ones I compile - diff hash values \[Archive ...](#)

7 posts - Last post: Apr 11, 2006
the **compile.exe** in the same dir (C:**Program** Files\AMX Mod X\files\base\scripting) ...
in C:**Program** Files\AMX Mod X\files\base\plugins dir **during** the install ... Change
even one byte and you have a different **instruction**. ...
[https://forums.alliedmods.net/archive/index.php/t-26939.html](#) - 10k
- [Cached](#) - [Similar pages](#) -

5. [Programming Perl: There's More Than One Way To Do It - Google Books Result](#)

by Larry Wall, Tom Christiansen, Jon Orwant - 2000 - Computers - 1067 pages
The startup and import code of any use declaration is also run **during compile** phase.
compile time The time when Perl is trying to make sense of your code, ...

books.google.com/books?isbn=0596000278...

6. Verifying loaded module **during** debugging invention

The target memory 300 may still contain the main **program instructions** and ... errors that occur **during** the edit/**compile**/test software development cycle. ...

www.freshpatents.com/Verifying-loaded-module-**during**-debugging-dt20080508ptan20080109793.php - 31k - [Cached](#) - [Similar pages](#) -

7. Method for **compiling program** components in a mixed static and ...

A digest of a data stream is a one-way **hash** function of the contents of the data Consider an **instruction** in a method foo of class bar which loads the static field ... A class used **during program** execution is processed in 700, ...

www.patentstorm.us/patents/6973646/description.html - [Similar pages](#) -

8. Makefile for files in /u/sy/beebe/emacs/**hash**/ # # Current target ...

... so that # (require 'xxx) statements can be satisfied **during** byte-**compiling**. ... clobber: distclean dist: \$(**PROGRAM**)-\$(VERSION).tar.gz distclean: ... -\$(RM) -rf \$(**PROGRAM**)-\$(VERSION) -\$(RM) test-**hash**.profile -\$(RM) test-**hash**.results ... www.netlib.org/bibnet/tools/emacs/**hash**-1.00/Makefile - 9k - [Cached](#) - [Similar pages](#) -

9. AIDE Manual version 0.13


AIDE also creates a cryptographic checksum or **hash** of each file using one or ... xattr and selinux can be used when explicitly enabled **during compile** time. ...

www.cs.tut.fi/~rammer/aide/manual.html - 25k - [Cached](#) - [Similar pages](#) -

10. Mac OS X Manual Page For Locale::Maketext::Lexicon(3pm)

... Explicitly specify languages, **during compile**- or run-time: package ... This form accepts a **hash** reference. It will export a %Lexicon into the subclasses ...

developer.apple.com/documentation/Darwin/Reference/Manpages/man3/Locale___Maketext___Lexicon.3pm.html - 17k - [Cached](#) - [Similar pages](#) -



[Add a result](#) - [See all my SearchWiki notes](#) - [See all notes for this SearchWiki](#) - [Learn more](#)

hash program instructions during compiling

Search

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)